

Figure Engineering
9208 Venture Ct – C9
Manassas Park VA 20111
Info@FigureLLC.com
www.FigureEngineering.com

Installation Manual



2008 Pontiac G8
FIGURE GRILLE SET

Dear Customer,

Thank you for purchasing *Figure's 2008 Pontiac G8 Grille set*. These grilles have been engineered to enhance the look of your vehicle for the duration of its life. Proper installation is essential to your overall satisfaction, so please read these instructions before attempting to install the grilles. Exercise patience; these instructions are intended to assist even the most mechanically challenged.

Remember, if you are not 100% satisfied with our product, simply return the set to us (or to the retailer if you did not purchase directly through Figure) within 30 days of purchase for a complete refund.

We always love to see pictures of the installed grilles, so we encourage you to email us your best! (Send to Info@FigureLLC.com)

****Package Contents:***

QTY(2) Upper Grilles
QTY(2) Lower Grilles
QTY(1) Rear Grille
QTY(20) Nylon Ties, 8" (High-tensile-strength, UV-resistant)
QTY(2) #6 Screws
QTY(2) #6 Washers
QTY(1) Instruction Manual

*Contents vary according to options purchased.

*****Tools Required for Installation:***

Flat Head screwdriver
Philips Head screwdriver
Needle nose pliers
10mm Socket or Wrench
Angle cutters (snip pliers)

**Tools vary according to options purchased.

Pontiac G8 Figure Grille Installation

1) Upper Grille Set

1.1) Begin by opening the hood. Remove the 2 push rivet fasteners and 2 10mm screws that are above the radiator (See Figure 1 – arrows). For the push rivet fasteners, use a flat headed screw driver to pry the inside portion of each fastener up, and then the fastener will remove easily from its location.



Figure 1. Location of hardware above radiator.

1.2) The upper grille will fasten over the OEM grille using 3 8” nylon ties. They are secured to the locations shown in Figure 2. From the front of the OEM grille, feed a tie through the respective loop, and then from behind (by using the access location you gained in step 1.1) feed the tie back through the OEM grille. Place the grille in the respective opening, and then loosely attach the nylon tie to the closest

inside loop of the grille. Loosely attach each nylon tie before fully tightening the grille in position.




Figure 2. Secure the upper grille using nylon ties through these locations of the OEM grille.



Figure 3. Upper Grille fastened loosely.

1.3) From behind the grille, situate each tie such that the head of the tie is on the rear of the OEM grille. Tighten each tie and then cut the extra tail material from the tie.

1.4) Repeat steps 1.2 and 1.3 for the other upper grille. Finish the upper grille installation by reversing step 1.1.

2) Lower Grille Set

2.1) The lower grille will fasten over the OEM grille using 3 8" nylon ties. They are secured to the locations shown in Figure 4. From the front of the OEM grille, feed a tie through the respective loop, and then back through the loop (your fingers will be able to reach from the front of the grille). Place the grille in the respective opening, and then loosely attach the nylon tie to the closest inside loop of the grille. Loosely attach each nylon tie before fully tightening the grille in position.



Figure 4. Secure the lower grille using nylon ties through these locations of the OEM grille.



Figure 5. Lower Grille fastened loosely.

2.2) To tighten a tie from the front, you will need a flat head screw driver and a pair of needle nose pliers. Hold the head of the tie in place with the flat head screwdriver and pull the tail using the needle nose pliers. Fully tighten all three ties and then cut the extra tail material.

2.3) Repeat steps 2.1 and 2.2 for the other lower grille.

3) Rear Grille

3.1) The rear grille will ship with a screw and washer already in place. Place the grille in the opening and then drive each screw tight. Do not over tighten as you may strip the plastic that the screw is securing to.

3.2) Please send pictures to Info@FigureLLC.com



Figure 6. Finished, enjoy! Send pics to Info@FigureLLC.com!